




Name of the Technology: Colloidal Multicomponent CZTSSe Inks for Solar Cells

Summary: An ideal thin-film solar cell absorber material should have a direct band gap around 1.3-1.5 eV with abundant, inexpensive, and non-toxic elements. Cu(InGa)Se2 (CIGS) is one of the most promising thin-film solar cell materials, demonstrating an efficiency of about 23%. However, In and Ga are expensive components, and the band gap is usually not optimal for high efficiency CIGS solar cells. CZTSe/CZTS is an alternative for the replacement of expensive & scarce element, viz. Indium in CIGSe by much cheaper & earth-abundant elements (Zinc & Tin) as it replaces half of the indium atoms by Zn and the other half by Sn. However, chalcopyrite-based materials multicomponent (CZTSSe) developed at CSIR-NPL using non-vacuum process combine benefits from the presence of both sulphur and selenium, wherein individual CZTS & CZTSe, certain limitations do exist. Our inks can be easily be deposited by spraying, printing, dip coating over large area substrates.

Applications: These inks can be used as absorber layer in thin-film solar cells and also as photocathodes in Dye Sensitized Solar Cells (DSSCs).



Specifications: Particle sizes ≤200 nm; High (3-5 yrs) Shelf Life; Optimal band gap: ~1.4-1.5 eV; Zn & Serich and Cu-poor; Coating possible on rigid (glass) and flexible substrates; High wettability (contact angle <90°)





Advantages: Our inks are aqueous-free and contain no hydrazine and other toxic solvents that are not environmental friendly. Coating of our inks is possible on flexible substrates due to low processing temperature (<450°C), which can prevent degassing, curling and deformation of the substrate.

Choose the Readiness level of the Technology:

Idea	Concept Definition	Prototype	3,	Technology Demonstration	Technology Integrated	Market Launch

Related Patents: Patent No: Know-how, Country: Not applicable, Publication Date: Not applicable;

Grant Date: Nil; Year of Introduction: 2018

Broad Area/Category: Clean Technologies

User Industries: Academic institutes, universities and solar cell companies who carry out R & D activities on photovoltaics.

For further details please contact:

Head, Industrial Liaison Group (ILG) Room No. 46-A, Main Building CSIR-National Physical Laboratory Dr. K.S. Krishnan Marg New Delhi 110012, INDIA.

Email: headilg@nplindia.org

Tel: +91-11-4560-8350/8392/9385; Fax: +91-11-4560-9310